

# INDEX

TO VOL. LXV (VOL. XXII, FOURTH SERIES), OF THE  
AMERICAN JOURNAL OF PHARMACY.

|  |          |
|--|----------|
| Acetals, combinations of aldehydes and phenols, . . . . .          | 548      |
| Acetone, solvent for oak tannins (Trimble and Peacock), . . . . .  | 435      |
| Acid, acetic, action on oil of turpentine, . . . . .               | 230      |
| use in extracting drugs, . . . . .                                 | 103      |
| acrylic, preparation of, . . . . .                                 | 451      |
| asellic, character of, . . . . .                                   | 333      |
| azelaic, character of, . . . . .                                   | 332      |
| benzoic, from resin, test for, . . . . .                           | 12       |
| beta-chloropropionic, preparation of, . . . . .                    | 451      |
| beta-cocaic, formation of and its salts, . . . . .                 | 190      |
| carbolic, crude, made soluble in water, . . . . .                  | 221, 289 |
| use in rectitis, . . . . .   | 389      |
| cathartic, preparation of, . . . . .                               | 334      |
| cerotolic, formation and characters, . . . . .                     | 191      |
| dioxystearic, properties and crystallization, . . . . .            | 331, 332 |
| formic, action on oil of turpentine, . . . . .                     | 230      |
| hexaoxystearic, properties of, . . . . .                           | 331      |
| homococaic, characters of, . . . . .                               | 190      |
| hydrobromic, preparation of, . . . . .                             | 172      |
| hydrochloric, effect of presence of selenious chloride, . . . . .  | 384      |
| hydrocyanic, detection of, . . . . .                               | 283, 338 |
| dilute, cause of dark coloration, . . . . .                        | 317      |
| hydroxycerotic, characters of, . . . . .                           | 191      |
| iodic, detection in nitric acid, . . . . .                         | 383, 495 |
| iodoso-benzoic, preparation of, . . . . .                          | 134      |
| isolinusic, properties of, . . . . .                               | 331      |
| isotrioxystearic, properties of, . . . . .                         | 331      |
| jecoric, character of, . . . . .                                   | 333      |
| linusic. (See Acid, hexaoxystearic.)                               |          |
| nitric, action on metals (Montemartini), . . . . .                 | 94       |
| detection of iodic acid in, . . . . .                              | 383, 495 |
| nitrohydrochloric, action on carbon bisulphide, . . . . .          | 547      |
| oxalic, administration of, . . . . .                               | 551      |
| as an emmenagogue, . . . . .                                       | 388      |
| phosphoric, estimation in wines, . . . . .                         | 280      |
| salicyl-acetic, preparation and properties, . . . . .              | 133      |
| salicylic, detection of saccharin in presence of, . . . . .        | 554      |
| estimations in presence of phenols, . . . . .                      | 133      |
| preparation of concentrated solution, . . . . .                    | 500      |
| solubility of, . . . . .   | 173      |
| sativic. (See Acid, tetroxystearic.)                               |          |
| sulphuric, action on citrene, . . . . .                            | 131      |
| tetroxystearic, properties of, . . . . .                           | 331, 332 |
| trioxystearic, crystallization and properties, . . . . .           | 331      |
| uric, estimation of, . . . . .                                     | 453      |
| Aconitine, composition of commercial (Dunstan and Carr), . . . . . | 297      |
| conversion into isaconitine. (Dunstan and Carr), . . . . .         | 411      |
| reaction with furfurol test, . . . . .                             | 382      |
| Adonite, composition and properties, . . . . .                     | 284      |

|   |          |
|---|----------|
| Agave rigida, yield of fibres, . . . . .  | 247      |
| Albany College of Pharmacy, . . . . .   | 263      |
| Albumen reagent, Spiegler's modification of, . . . . .                                  | 456      |
| Albumoses and peptone, precipitation (Kühne), . . . . .                                 | 360      |
| Alcohol, excessive price of, circular on, . . . . .                                     | 105      |
| camphorated, estimation of camphor, . . . . .   | 497      |
| Alcohols, monatomic, test for, . . . . .  | 332      |
| Aldehydes, action of phenols, . . . . .   | 548      |
| Alkaloidal assaying, comparative value of various methods (Keller), . . . . .           | 78       |
| Alkaloids, color reactions of, . . . . .  | 381      |
| proposed method of estimation, . . . . .  | 384      |
| Alkanet, identification of coloring matter, . . . . .                                   | 132      |
| Aloin, rectal application with glycerin suppositories, . . . . .                        | 225      |
| Alumnol, properties, composition and use, . . . . .                                     | 8        |
| Ambrettaria, character of, . . . . .  | 294      |
| American Pharmaceutical Association, . . . . .  | 502      |
| Ammonium chloride, use in the treatment of cholera, . . . . .                           | 77       |
| Amylene, preparation of, . . . . .  | 456      |
| Amyloid, constituent of dairy products, . . . . .                                       | 11       |
| Anæsthetic, formula for, . . . . .  | 129      |
| Analgene, chemical formula, and medicinal use, . . . . .                                | 9        |
| Andirin, principle from Andira species, . . . . .                                       | 11       |
| Angophora species, yield of kino (Maiden), . . . . .                                    | 29       |
| Anise, earthy impurities, . . . . .   | 104      |
| Anticholerin, characters and action, . . . . .  | 13       |
| Antimony, action of nitric acid on, . . . . .   | 95       |
| Antipyrine, distinction from tolypyrine, . . . . .                                      | 287      |
| Apoatropine, identity with atropamine, . . . . .  | 283      |
| Apocoeine, result of physiological experiments, . . . . .                               | 340      |
| Aponarceine, formation from narceine, . . . . .   | 378      |
| Aristol, administration of, . . . . .   | 129      |
| Arnica montana, constituents of flowers, . . . . .                                      | 12       |
| Arsenic trisulphide, elimination of, . . . . .  | 501      |
| Arsenious iodide, examination of samples (Dott), . . . . .                              | 183      |
| Asafetida, medicinal use, . . . . .   | 139      |
| Asaprol, derivative of $\beta$ -naphthol, . . . . .                                     | 499      |
| Asbestos, production and uses, . . . . .  | 352      |
| Asbolin, composition of, . . . . .  | 17       |
| Ascott, G. W. Benzylidene dipiperidine, . . . . .                                       | 428      |
| Atlanta College of Pharmacy, . . . . .  | 263      |
| Atomic weight, relation to specific gravity (Doerschuk), . . . . .                      | 483      |
| Atropine, detection of (Fabris), . . . . .  | 85       |
| Atropine, reaction with furfurol test, . . . . .  | 382      |
| Attfield, John. Report of two samples of ipecacuanha, . . . . .                         | 391      |
| Balsam, Caparrapi, source, medicinal use, etc. (Bayon), . . . . .                       | 395      |
| Banana fruit, presence of sugar and invertase, . . . . .                                | 492      |
| Barium sulphate, colloidal, preparation of, . . . . .                                   | 379      |
| Bautmy, H., and W. Nencki. Influence of carboxyl group on aromatic compounds, . . . . . | 36       |
| Bayon, T. Caparrapi balsam, . . . . .   | 395      |
| Beeswax, constituents and adulterations of (Kebler), . . . . .                          | 585      |
| Benzoin, constituents, . . . . .  | 495      |
| Siam, constituents of, . . . . .  | 385, 459 |
| Sumatra, constituents of, . . . . .   | 385      |
| and formation of the balsam, . . . . .  | 223, 224 |
| Benzonaphthol, use as an intestinal antiseptic, . . . . .                               | 229      |
| Benzonaphthol-benzosol. (See Benzoparacresol.)  |          |
| Benzoparacresol, preparation of, . . . . .  | 175      |
| Benzosol, medicinal use, . . . . .  | 225      |

|  |               |
|--|---------------|
| Benzoylguaiacol. (See Benzosol.)   |               |
| Benzoylpseudotropeine salts, characters of, . . . . .                                      | 191           |
| Benzylidene dipiperidine, preparation and compounds (Ascott), . . . . .                    | 428           |
| Beringer, G. M. United States Pharm. of 1890, . . . . .                                    | 466, 516, 596 |
| Betaine, present in Levant worm-seed, . . . . .  | 437           |
| Biltz, E., and Carl Schacht. Decomposition of chloroform, . . . . .                        | 354           |
| Birch tar, combination with carbolic acid, . . . . .                                       | 221, 289      |
| Bismuth, $\beta$ -naphthol, composition and character, . . . . .                           | 333           |
| gallate, preparation, . . . . .  | 552           |
| pyrogallate, preparation, . . . . .  | 552           |
| salicylate, basic, character of commercial, . . . . .                                      | 69            |
| salts, basic, preparation, . . . . .   | 552           |
| subnitrate, decomposition by water, . . . . .  | 14            |
| medicinal use of, . . . . .  | 14            |
| tribromphenol, characters and medicinal use, . . . . .                                     | 333           |
| Blackman, A. S. <i>Cicuta maculata</i> , . . . . .   | 4             |
| Blood, test for, in urine, . . . . .   | 453           |
| Bougies, improved shape for (Wellcome), . . . . .  | 433           |
| Brillantini, preparation for the hair, . . . . .   | 231           |
| Bromine, estimation in urine, . . . . .  | 548           |
| Brooklyn College of Pharmacy, . . . . .  | 263           |
| Brown, D. Chloroform, . . . . .  | 101           |
| Observations on decomposing chloroform, . . . . .  | 241           |
| Brucine, reaction with furfural test, . . . . .  | 382           |
| Bryonia root, active principles, . . . . .   | 278           |
| Bryonin, constituent of bryonia root, . . . . .  | 278           |
| Bryoresin, constituent of bryonia root, . . . . .  | 278           |
| Buffalo University, School of Pharmacy, . . . . .  | 263           |
| Bulbo-capnine, alkaloid from <i>Corydalis cava</i> , . . . . .                             | 285           |
| Butter, determination of volatile acids in, . . . . .                                      | 225           |
| test for artificial coloring matters, . . . . .  | 454           |
| presence of sativic acid, . . . . .  | 332           |
| Butylhypnal, characters of, . . . . .  | 129           |
| preparation and properties, . . . . .  | 74            |
| Cacao beans, estimation of theobromine, . . . . .  | 170           |
| fruit, varieties of, . . . . .   | 247           |
| Caffeine, alkaloid from coffee, . . . . .  | 554           |
| Caffeine, estimation of, . . . . .   | 338           |
| identity with theine, and reactions with auric chloride. (Dunstan and Shepherd), . . . . . | 83            |
| citrate, hypodermic injection, . . . . .   | 389           |
| split up by water, . . . . .   | 500           |
| iodol, preparation of, . . . . .   | 172           |
| salts, preparation of, . . . . .   | 221           |
| Calcium bisulphite, use as an antiseptic, . . . . .  | 282           |
| oxalate, present in bark of trees, . . . . .   | 28            |
| phosphate, tribasic, preparation, . . . . .  | 499           |
| tartrate, determination of (Ordonneau), . . . . .  | 184           |
| California College of Pharmacy, . . . . .  | 105           |
| Camphor, artificial, preparation of, . . . . .   | 69            |
| estimation of, . . . . .   | 496, 497      |
| preparation by means of ozone, . . . . .   | 174           |
| Canaigre as a source of tannin, . . . . .  | 161           |
| Cancroin, character, and identity with neurine, . . . . .                                  | 69            |
| Cantharidin, process of preparation, . . . . .   | 388           |
| Capsules, gelatine, filling and sealing of, . . . . .                                      | 7             |
| soft, preparation of, . . . . .  | 103           |
| Carbon bisulphide, action of nitrohydrochloric acid, . . . . .                             | 547           |
| dioxide effect upon animal life, . . . . .   | 563           |

|   |          |
|---|----------|
| Carbonic oxide, effect upon animal life, . . . . .  | 565      |
| Carboxyl group, influence on aromatic compounds (Nencki and Bautmy), . . . . .                          | 36       |
| Carpaine, properties and tests, . . . . .   | 285      |
| <i>Carr, F. H., and W. R. Dunstan.</i> Composition of commercial aconitine, . . . . .                   | 297      |
| Conversion of aconitine into isaconitine, . . . . .   | 411      |
| Cascarin, identity with rhamnoxanthine, . . . . .   | 75       |
| isolation and characters, . . . . .   | 16       |
| <i>Caspari, Chas., Jr., and A. R. L. Dohme.</i> Assay of drugs with volumetric acid solution, . . . . . | 473      |
| Celluloid, estimation of camphor, . . . . .   | 497      |
| Cephalanthin, extraction, composition, etc. (Mohrberg), . . . . .                                       | 295      |
| Ceratonia Siliqua, constituents of, . . . . .   | 131      |
| Cerbera Odallum, constituents of seed kernels, . . . . .  | 222      |
| Cerberin, composition and tests, . . . . .  | 223      |
| source and character, . . . . .   | 175      |
| Cerin, crystalline substance in cork, . . . . .   | 77       |
| Cerium salts, photographic properties (Lumière), . . . . .  | 291      |
| Champacol, characters of, . . . . .   | 284      |
| Chapped hands, cure for, . . . . .  | 176      |
| Charcoal, animal, as a pill excipient, . . . . .  | 337      |
| Chemical synthesis, general method (Pictet), . . . . .  | 408      |
| terms, rules for spelling and pronunciation of, . . . . .   | 178      |
| Chicago College of Pharmacy, . . . . .  | 263      |
| Chloral, a derivative of, . . . . .   | 394      |
| Chloralantipyrine. (See Butylhypnal.)   |          |
| Chloralose, preparation and properties, . . . . .   | 128      |
| source and properties (Hanriot and Richet), . . . . .   | 394      |
| Chloroform, decomposition of (Schacht and Biltz), (Brown), . . . . .                                    | 241, 354 |
| degree of purity required for various purposes (Brown), . . . . .                                       | 101      |
| preparation of pure, . . . . .  | 72       |
| Cholera, a nitrite poisoning, . . . . .   | 383      |
| culture, reaction with sulphuric acid, . . . . .  | 70       |
| Choline, present in Levant worm-seed, . . . . .   | 437      |
| Chromogene, present in various plants, . . . . .  | 494      |
| Cicuta maculata, properties and constituents (Blackman), . . . . .                                      | 4        |
| Cinchona, method of assay, . . . . .  | 71       |
| Cineol, test for, . . . . .   | 219      |
| Cinnamylcocaine salts, characters of, . . . . .   | 189      |
| Citrene, action of sulphuric acid on, . . . . .   | 131      |
| Citrullin, rectal application with glycerin suppositories, . . . . .                                    | 225      |
| Cleveland School of Pharmacy, . . . . .   | 263      |
| Clove cultivation, . . . . .  | 308      |
| Coca leaves, compounds derived from (Hesse), . . . . .  | 189      |
| Cocaine, reaction with potassium salts, . . . . .   | 553      |
| Cocaine hydrochlorate, melting point of, . . . . .  | 134      |
| salts, precipitation by borax, . . . . .  | 553      |
| Cochineal, identification of coloring matter, . . . . .   | 132      |
| Codeine, reaction with furfurol test, . . . . .   | 382      |
| salts, crystallizations and characters, . . . . .   | 335      |
| Coffee, imitation of, . . . . .   | 159      |
| Colchicine, reaction with furfurol test, . . . . .  | 382      |
| Collodion, aristol, formula for, . . . . .  | 129      |
| Colocynthin, rectal application with glycerin suppositories, . . . . .                                  | 225      |
| Coloring matters, coal tar, chemical tests for (Green), . . . . .                                       | 97       |
| red, behavior of, . . . . .   | 132      |
| Columbian exposition, report on, . . . . .  | 558      |
| Congress of Hygiene and Demography, . . . . .   | 510      |
| Congress of Medicine, 11th International, . . . . .   | 104      |
| Coniine, reaction with furfurol test, . . . . .   | 382      |
| Copaiba, African, constituents and characters (Umney), . . . . .  | 544      |

|  |         |
|--|---------|
| Copper, action of nitric acid on, . . . . .  | 96      |
| Coriamyrtin, microscopic recognition of, . . . . .                                       | 135     |
| Cork, crystalline substance present in, . . . . .  | 77      |
| Corks, fastening of, . . . . .   | 316     |
| rubber-coated, advantages of, . . . . .  | 316     |
| Corn cure, formula for, . . . . .  | 176     |
| Corycavine, alkaloid from <i>Corydalis cava</i> , . . . . .                              | 285     |
| Corydalin, alkaloid from <i>Corydalis cava</i> , . . . . .                               | 285     |
| <i>Corydalis nobilis</i> , alkaloids of, . . . . .                                       | 135     |
| Corydalinobilenene, base from <i>Corydalis nobilis</i> , . . . . .                       | 135     |
| Corydine, alkaloid from <i>Corydalis cava</i> , . . . . .                                | 285     |
| Coryl, a new anæsthetic, . . . . .   | 129     |
| Cotton, action on sublimate, . . . . .   | 451     |
| benzoin-alumina, preparation, . . . . .  | 490     |
| Cowley, A. J., and B. H. Paul. Chemistry of <i>Ipecacuanha</i> , . . . . .               | 484     |
| Crawford, Jos. Indigenous plants of medical interest, . . . . .                          | 42, 149 |
| Crayons, aristol, formula for, . . . . .   | 129     |
| zinc chloride, preparation of, . . . . .   | 14      |
| Creosote, elimination of, . . . . .  | 17      |
| rendered soluble in water, . . . . .   | 389     |
| carbonate, medicinal use of, . . . . .   | 73      |
| Cripps, R. A. Note on sandalwood and cedar oils, . . . . .                               | 20      |
| Cupric phosphate, in the treatment of tuberculosis, . . . . .                            | 130     |
| Curcin, constituent of <i>Jatropha curcas</i> , . . . . .                                | 335     |
| Currants, identification of coloring matter, . . . . .                                   | 132     |
| Cushny, A. R. Alkaloids of <i>Gelsemium sempervirens</i> , . . . . .                     | 396     |
| Cyanides, detection in presence of hydrocyanic acid, . . . . .                           | 283     |
| Cyclamin, a sulphuretted lanolin, . . . . .  | 51      |
| Cynoglossum officinale, use of, . . . . .  | 158     |
| Cytisine, constitution and use, . . . . .  | 10      |
| extraction and identity with ulexine (Partheil), . . . . .                               | 296     |
| <i>Daphnidium Cubea</i> , source of false cubebs, identity of fruits (Holmes), . . . . . | 303     |
| <i>Datura Stramonium</i> , alkaloidal value of various parts of (Dohme), . . . . .       | 479     |
| Decoction, cinchona, process of preparation, . . . . .                                   | 76      |
| Dentifrice, menthol, formula for, . . . . .  | 552     |
| Dextrin, bleaching of, . . . . .   | 493     |
| Digitalin, reaction with furfurol test, . . . . .  | 382     |
| Dimethylamine, properties and physiological effects, . . . . .                           | 281     |
| <i>Dioscorea Batatas</i> , constituents of (Meink), . . . . .                            | 123     |
| species, constituent of tubers (Maisch), . . . . .                                       | 125     |
| Distillatory apparatus, new, advantage of, . . . . .                                     | 558     |
| Diuretin, physiological action, . . . . .  | 388     |
| Doerschuk, A. N. Relation of specific gravity to atomic weight, . . . . .                | 483     |
| Dohme, A. R. L. Alkaloidal value of <i>Datura Stramonium</i> , . . . . .                 | 479     |
| and Chas. Caspari, jr. Assay of drugs with volumetric acid solu-<br>tion, . . . . .      | 473     |
| Dott, D. B. Arsenious iodide, . . . . .  | 183     |
| Dragon's blood, botanical source of (Flückiger), . . . . .                               | 460     |
| <i>Drimys chilensis</i> , constituents of, . . . . .                                     | 15      |
| Drug-store, a month's experience in (McIntyre), . . . . .                                | 103     |
| Drugs, assay of, with volumetric acid solution (Caspari and Dohme), . . . . .            | 473     |
| Drugs, insects injurious to (Sayre), . . . . .   | 321     |
| Duboisine, properties of, and dose, . . . . .  | 339     |
| sulphate, medicinal use and dose, . . . . .  | 339     |
| Dulcin, characters and tests, . . . . .  | 384     |
| Dunstan, W. R., and F. H. Carr. Commercial aconitines, . . . . .                         | 297     |
| Conversion of aconitine into isaconitine, . . . . .                                      | 411     |
| and W. F. J. Shephard. Identity of caffeine and theine, and reac-<br>tions, . . . . .    | 83      |

|   |          |
|---|----------|
| Earth sugar root, botanical origin, characters, etc. (Hooper), . . . . .                                  | 136      |
| <i>Eberhardt, E. G.</i> Determination of hydrastine in fluid extract of<br>hydrastis, . . . . .           | 374      |
| Eczemine, compounds and reactions, . . . . .  | 453      |
| <i>Eichhoff, Dr.</i> Europhen, . . . . .  | 187      |
| Elderberry, identification of red coloring matter, . . . . .  | 132      |
| Elixir cascara sagrada, medicinal use, . . . . .  | 75       |
| <i>Elliot, G. F. S.</i> Rubber in Sierra Leone, . . . . .   | 389      |
| Emulsion, coal tar oil, as a substitute for cresyl,<br>creosote, by means of casein saccharate, . . . . . | 74       |
| salol and camphor, preparation of, . . . . .  | 452      |
| terralin, preparation, . . . . .  | 340      |
| <i>England, Jos. W.</i> Notes on practical pharmacy, . . . . .  | 316      |
| Preparation of tinctures from fluid extracts, . . . . .   | 6        |
| Epiphegus virginiana, result of analysis (Koeppen), . . . . .   | 438      |
| Eserine salicylate, preparation of, . . . . .   | 274      |
| <i>Estcourt, P. A., and E. J. Parry.</i> Adulterated castor and olive oils, . . . . .                     | 16       |
| Ethylene bromide, properties and medicinal use, . . . . .   | 231      |
| Eucalyptus species, characters and yield of oil (Tyndale), . . . . .                                      | 607      |
| Eugenol. (See Cineol.)  | 89       |
| Europhen, medicinal use and characters, . . . . .   |          |
| Exhibits, pharmaceutical, at World's Fair, . . . . .  | 187      |
| Extract, belladonna, contains copper, . . . . .   | 459      |
| male-fern, alcoholic, formula and medicinal use, . . . . .  | 104      |
| rhatany, identification of coloring matter, . . . . .   | 130      |
| stramonium, presence of potassium chloride, . . . . .   | 317      |
| fluid, digitalis, preparation, . . . . .  | 132      |
| hydrastis, determination of hydrastine (Eberhardt), . . . . .   | 550      |
|   | 374      |
| <i>Fabris, L.</i> Detection of atropine, . . . . .  | 85       |
| Fats, determination of iodine absorption, . . . . .   | 382, 455 |
| method of examination, . . . . .  | 330      |
| Ferments, soluble and organized, distinction between, . . . . .   | 171      |
| Ferric chlorobromide, method of rapid preparation, . . . . .  | 386      |
| lactate, effervescent, formula for, . . . . .   | 500      |
| peptonate, alkaline solution of, . . . . .  | 459      |
| salts, reactions with thiocyanates (Vernon) . . . . .   | 292      |
| Fir-tar, combination with carbolic acid, . . . . .  | 221, 289 |
| <i>Fischer, E., and E. Schmidmer.</i> Rise of salt solutions in bibulous paper, . . . . .                 | 289      |
| <i>Flückiger, F. A.</i> Dragon's blood, . . . . .   | 460      |
| Formaldehyde, action on coloring matters, . . . . .   | 15       |
| Formalin, use as a disinfectant, . . . . .  | 286      |
| Formanilide, properties of, . . . . .   | 286      |
| Furfurol test for alkaloids, . . . . .  | 381      |
| Galbanum, characters of commercial, . . . . .   | 383      |
| Gargles, use of distilled or boiled water, . . . . .  | 6        |
| Gas, water and coal, effect upon animal life, . . . . .   | 569.     |
| Gases, noxious effect on animal economy (Wilson), . . . . .   | 561      |
| Gastric juice, estimation of hydrochloric acid, . . . . .   | 228      |
| Gauze, iodoform, assay of, . . . . .  | 497      |
| Gauzes, aseptic, preservation of, . . . . .   | 103      |
| Geissospermine, alkaloid from <i>Geissospermum Vellozii</i> , . . . . .                                   | 381      |
| Geissospermum Vellozii, separation of alkaloids, . . . . .  | 381      |
| Gelsemine, characters and reactions, . . . . .  | 397      |
| precipitation and salts, . . . . .  | 381      |
| Gelseminine, characters and reactions, . . . . .  | 397      |
| Gelsemium sempervirens, alkaloids of (Cushny), . . . . .  | 396      |
| Geoffroya barks, alkaloid of, . . . . .   | 10       |

|  |     |
|--|-----|
| Gleditschia triacanthos, constituents of fruit, . . . . .                | 132 |
| Glenk, R. Macassar oil, . . . . .  | 528 |
| Glycerite, oil of cade, medicinal use of, . . . . .                      | 281 |
| starch, stability of, . . . . .  | 388 |
| zinc, formula for, . . . . .   | 317 |
| Gnoscopine, composition, reactions and salt of, . . . . .                | 239 |
| Gold bromide, preparation of, . . . . .                                  | 77  |
| Green, A. G. Coal-tar coloring matters, . . . . .                        | 97  |
| Greenish, H. G. False kamala, . . . . .                                  | 193 |
| Guaiacol carbonate, antiseptic properties of, . . . . .                  | 73  |
| medicinal use, . . . . .   | 73  |
| Guaiacol, synthetic preparation of, . . . . .                            | 228 |
| Guava fruit, a product of the West Indies, . . . . .                     | 247 |
| Gum arabic, artificial, preparation of, . . . . .                        | 341 |
| Gutta-percha, constituents of, . . . . .                                 | 136 |
| <i>Habegger, C. J.</i> Composition of American pennyroyal oil, . . . . . | 417 |
| <i>Hanriot and C. Richet.</i> Chloralose, . . . . .                      | 394 |
| <i>Harms, H.</i> The coloring principle of poke berries, . . . . .       | 1   |
| Headine, constituents, . . . . .   | 456 |
| <i>Heinitsh, S. W.</i> Syrup of cimicifuga, . . . . .                    | 413 |
| Helianthenin, principle isolated from Jerusalem artichoke, . . . . .     | 498 |
| <i>Hesse, O.</i> Coca leaves, . . . . .                                  | 189 |
| <i>Hires, C. E.</i> A talk on vanillas, . . . . .                        | 571 |
| <i>Holmes, E. M.</i> Daphnidium Cubeba, . . . . .                        | 303 |
| Pernambuco jaborandi, . . . . .  | 351 |
| Strophanthus seeds of commerce, . . . . .                                | 342 |
| <i>Hooper, David.</i> The "earth-sugar" root of the Tamils, . . . . .    | 136 |
| Hydracetic, tests for, . . . . .   | 71  |
| Hydrargyrum sozoiodolicum, solvent for, . . . . .                        | 221 |
| Hydrastine, constituent of Hydrastis canadensis, . . . . .               | 370 |
| determination in fluid extract of hydrastis (Eberhardt), . . . . .       | 374 |
| bitartrate, properties of, . . . . .                                     | 285 |
| Hydrastis canadensis, results of assay (Thompson), . . . . .             | 370 |
| Hydrogen peroxide, comparison of medicinal brands (Lloyd), . . . . .     | 276 |
| rapid method of assay (Moerk), . . . . .                                 | 65  |
| sulphide, action upon the organism, . . . . .                            | 70  |
| sulphuretted, effect upon animal life, . . . . .                         | 567 |
| Hydroxanthaline, reactions, composition, etc., . . . . .                 | 238 |
| Hyoscine, dose of, . . . . .   | 51  |
| <br>   |     |
| Ice shaver and crusher, Webb's, . . . . .                                | 315 |
| Impatiens Balsamina, formula of plant food for, . . . . .                | 317 |
| Indican, detection in plants, . . . . .                                  | 494 |
| Insects injurious to drugs (Sayre), . . . . .                            | 321 |
| Inulin, preparation and formula, . . . . .                               | 279 |
| Inulin, preparation and purification, . . . . .                          | 279 |
| Invertase, presence in banana fruit, . . . . .                           | 492 |
| Iodates, test for, in alkaline iodides, . . . . .                        | 174 |
| Iodides, elimination of, . . . . .                                       | 130 |
| Iodine, detection in organic compounds, . . . . .                        | 134 |
| in the treatment of goitre, . . . . .                                    | 229 |
| interaction with potassium chlorate (Thorpe and Perry), . . . . .        | 100 |
| separation of, in dispensing a prescription, . . . . .                   | 501 |
| trichloride, antiseptic action, . . . . .                                | 13  |
| Iodoform, action on staphylococcus and blood, . . . . .                  | 549 |
| preparations, alterations of, . . . . .                                  | 175 |
| solubility in alcohol and ether, . . . . .                               | 225 |
| Ipecacuanha, chemistry of (Paul and Cownley), . . . . .                  | 484 |

|   |     |
|---|-----|
| Ipecacuanha, report on commercial (Attfield), . . . . .                             | 391 |
| Isaconitine, formation from aconitine (Dunstan and Carr), . . . . .                 | 411 |
| <b>Jaborandi</b> , Pernambuco, botanical source and description (Holmes), . . . . . | 351 |
| Jalap root, yield of resin, . . . . .   | 316 |
| Jamaicin, identical with berberine, . . . . .                                       | 10  |
| Jasmin, production of perfume, . . . . .  | 92  |
| Jatropha curcas, constituents of seeds, . . . . .                                   | 335 |
| macrorrhiza, physiological action, . . . . .  | 335 |
| Jowett, H. A. D. Botany and chemistry of essential oils, . . . . .                  | 397 |
| Juglans cinerea, constituents (Truman), . . . . .                                   | 426 |
| <b>Kamala</b> , false, characters of (Greenish), . . . . .                          | 193 |
| Kebler, L. F. Examination of commercial beeswax, . . . . .                          | 585 |
| Laudanum assay, . . . . .   | 209 |
| Kelene, use in minor surgery, . . . . .   | 500 |
| Keller, C. C. Alkaloidal assaying, . . . . .  | 78  |
| Kino, yield in Angophora species (Maiden), . . . . .                                | 29  |
| Koepfen, A. C. Epiphegus virginiana, . . . . .                                      | 274 |
| Kohn, C. A. Cause of the red coloration of phenol, . . . . .                        | 542 |
| Kresin, characters and medicinal use, . . . . .                                     | 9   |
| Kühne, N. Albumoses and peptone, . . . . .  | 360 |
| <b>Lace tree</b> , a product of the West Indies, . . . . .                          | 247 |
| Lanain, characters and use, . . . . .   | 170 |
| Lanolin, rancid upon keeping, . . . . .   | 491 |
| Lard, detection of cotton-seed oil, . . . . .                                       | 379 |
| presence of linolic acid, . . . . .   | 332 |
| Laudanum, assay of (Kebler), . . . . .  | 209 |
| Laurelia aromatica, isolation of laureline, . . . . .                               | 16  |
| Laureline, identity of, . . . . .   | 16  |
| Laurus giganteus, source of Caparrapi balsam, . . . . .                             | 395 |
| Lead salts, detection of, in drinking water, . . . . .                              | 555 |
| Legislation against adulterations, . . . . .  | 367 |
| Liebermann, Leo, and S. Székely. Method for determining fat in milk, . . . . .      | 406 |
| Lignin, color test of, . . . . .  | 555 |
| Liniment, Rosen's, prevention of deposit, . . . . .                                 | 341 |
| Linseed cake and meal, manufacture and composition, . . . . .                       | 195 |
| Liquor ferri salicylatis, modified formula, . . . . .                               | 247 |
| Litharge, adulteration of, . . . . .  | 169 |
| Lithium benzoate, medicinal use, . . . . .  | 14  |
| Lloyd, R. L. Comparison of medicinal brands of hydrogen peroxide, . . . . .         | 276 |
| Logwood, identification of red coloring matter, . . . . .                           | 132 |
| Louisville College of Pharmacy, . . . . .   | 415 |
| Lumière, A. and L. Photographic properties of cerium salts, . . . . .               | 291 |
| Lupinus albus, alkaloids of, . . . . .  | 458 |
| Lupulin, spontaneous ignition of, . . . . .   | 555 |
| <b>Mace</b> , constituents and color tests, . . . . .                               | 457 |
| Madder, identification of, . . . . .  | 132 |
| Mærua arenaria, source of the "earth-sugar" root of the Tamils, . . . . .           | 136 |
| Magnesium, action of nitric acid on, . . . . .                                      | 96  |
| sulphate, purgative action, . . . . .   | 359 |
| Magnolia grandiflora, specimen exhibited, . . . . .                                 | 316 |
| Maiden, J. H. Angophora kino, . . . . .   | 29  |
| Maisch, John M., decease of, . . . . .  | 556 |
| Maisch, J. M. On the tubers of Dioscorea species, . . . . .                         | 125 |
| Majert, W., and A. Schmidt. Piperazine, . . . . .                                   | 188 |
| Malakin, properties of, . . . . .   | 553 |
| Male-fern, activity of, . . . . .   | 135 |

|   |   |
|---|---|
| Manganese, action of nitric acid on, . . . . .  | 96  |
| Mango, a product of the West Indies, . . . . .  | 247   |
| Maryland College of Pharmacy, . . . . .   | 262   |
| Massachusetts College of Pharmacy, . . . . .  | 414   |
| McFerran, J. A. Preparation of compressed tablets, . . . . .                            | 213   |
| McLaughlin, R. Mexican valerian, . . . . .  | 329   |
| Medicaments, various, elimination of, . . . . .   | 501   |
| Meink, F. W. Dioscorea Batatas, . . . . .   | 123   |
| Meissner, F. W. Oil of Erigeron canadense, . . . . .                                    | 420   |
| Meldrum, A. Preservation of spiritus ætheris nitrosi, . . . . .                         | 199   |
| Mercuric biniodide, solution in olive oil, . . . . .                                    | 451   |
| Mercuric cyanide, test for, in presence of ferrocyanide, . . . . .                      | 283   |
| Mercury, action of nitric acid on, . . . . .  | 96  |
| thymol acetate, chemical composition, . . . . .   | 284   |
| volumetric estimation, . . . . .  | 385   |
| Mesnard, E. Perfume in flowers, . . . . .   | 91  |
| Metallic salts, proposed method of estimation, . . . . .                                | 384   |
| Metals, behavior with gases (Neumann), . . . . .  | 176   |
| Methacetic, tests for, . . . . .  | 71  |
| Methylene blue, use in malarial affections, . . . . .                                   | 499   |
| Milk, method of determining fat (Liebermann and Székely), . . . . .                     | 406   |
| prevention of change by carbonic acid, . . . . .  | 341   |
| use as a clarifying agent, . . . . .  | 15  |
| Mistura sodii salicylatis, formula for, . . . . .                                       | 247   |
| Mixture, Basham's, dispensing of, . . . . .   | 51  |
| copper arsenite, use of hydrochloric acid, . . . . .                                    | 7   |
| Hammond's, modification of, formula, . . . . .  | 6   |
| Moerk, F. X. Gleanings from the German journals, . . . . .                              | 8, 68, 132, 169, 219, 282, 330, 378, 454, 490 |
| Rapid assay of hydrogen peroxide, . . . . .   | 65  |
| Mohrberg, Carl. Cephalanthin, . . . . .   | 295   |
| Molybdenum, action of nitric acid on, . . . . .   | 95  |
| Monomethylamine, properties and effects, . . . . .                                      | 281   |
| Montemartini, C. Action of nitric acid on metals, . . . . .                             | 94  |
| Morphine, reaction with furfurol test, . . . . .  | 382   |
| Morrenia brachystephana, properties and administration, . . . . .                       | 17  |
| Mururé, a Brazilian tree, characters, . . . . .   | 454   |
| Musk, solution in glycerin for hypodermic injection, . . . . .                          | 130   |
| Myrrholin, medicinal use and dose, . . . . .  | 175   |
| Naphthol, differentiation of $\alpha$ - and $\beta$ - varieties, . . . . .              | 450   |
| Narceine, conversion into aponarceine, . . . . .  | 378   |
| Narcissus orientalis, constituents of (Robecheck), . . . . .                            | 369   |
| National College of Pharmacy, . . . . .   | 415   |
| Nencki, W., and H. Bautmy. Influence of carboxyl group on aromatic compounds, . . . . . | 36  |
| Neumann, G. Behavior of some metals with gases, . . . . .                               | 176   |
| New York College of Pharmacy, . . . . .   | 263   |
| Nicotine, reaction with furfurol test, . . . . .  | 382   |
| Nitrogen, estimation in various substances, . . . . .                                   | 227   |
| Northwestern University, School of Pharmacy, . . . . .                                  | 263   |
| Nuclein, chemical character and action, . . . . .                                       | 341   |
| Oberhauser, Wm. P. Solidago rugosa, . . . . .   | 122   |
| Obituary—Bocking, Edmund F., 320 DeCandolle, Alphonse, . . . . .                        | 272   |
| Brunnengraber, Christian, . . . . . 208 Fox, Daniel S., . . . . .                       | 560   |
| Cameron, E. L., . . . . . 112 Genth, Frederic A., . . . . .                             | 160   |
| Craven, Jas. C., . . . . . 208 Haas, Wm. A., . . . . .                                  | 272   |
| Cunningham, J. M., . . . . . 112 Hopper, Edw., . . . . .                                | 464   |
| Hoskinson, Jr., J. T., . . . . .  | 464   |

|  |     |                                 |          |
|--|-----|---------------------------------|----------|
| Obituary—Hunter, David, . . . . .  | 416 | Pollitt, Edmund, . . . . .      | 416      |
| Ink, Parker P., . . . . .  | 112 | Prantl, Carl, . . . . .         | 207      |
| Jones, Daniel S., . . . . .  | 320 | Simes, John W., . . . . .       | 112      |
| Maisch, John M., . . . . .   | 556 | Soubeiran, J. L., . . . . .     | 111      |
| Manz, Constanz S., . . . . .   | 272 | Stifel, Albert F., . . . . .    | 320      |
| Martin, Isaac J., . . . . .  | 208 | Tull, Isaac, . . . . .          | 208      |
| Milner, Jas. P., . . . . .   | 112 | Vasey, George, . . . . .        | 207      |
| Myers, Edwin, . . . . .  | 112 | Wells, Jacob D., . . . . .      | 160      |
| Parry, G. R., . . . . .  | 464 | Wendell, John, . . . . .        | 112      |
| Pashley, Frederick H., . . . . .   | 320 | Wolfersberger, G. W., . . . . . | 112      |
| Poley, Francis H., . . . . .   | 112 | Wolle, Francis, . . . . .       | 207      |
| Oil, <i>Atherosperma moschata</i> , physiological action (Stockman), . . . . . |     |                                 | 86       |
| bergamot, test for quality of, . . . . .                                       |     |                                 | 306      |
| birch, empyreumatic, characters and use of, . . . . .                          |     |                                 | 73       |
| camphor, use in the arts, . . . . .  |     |                                 | 305      |
| camphorated, estimation of camphor, . . . . .                                  |     |                                 | 497      |
| cassia, quality of commercial, . . . . .                                       |     |                                 | 305      |
| castor, adulteration of (Parry and Estcourt), . . . . .                        |     |                                 | 231      |
| catalpa, character of, . . . . .   |     |                                 | 294      |
| cedar, test and detection of adulterants (Cripps), . . . . .                   |     |                                 | 20       |
| cinnamon, value and preparation as an antiseptic, . . . . .                    |     |                                 | 386      |
| cotton-seed, detection in lard and olive oil, . . . . .                        |     |                                 | 379      |
| presence of linolic acid, . . . . .  |     |                                 | 332      |
| creosote-mentholated, medicinal use, . . . . .                                 |     |                                 | 551      |
| <i>Erigeron canadense</i> , properties of (Meissner) . . . . .                 |     |                                 | 420      |
| geranium, antiseptic action, . . . . .   |     |                                 | 386      |
| lemon, tests for purity of, . . . . .  |     |                                 | 307      |
| linseed, manufacture of (Reed), . . . . .                                      |     |                                 | 413      |
| symptoms of poisoning from, . . . . .  |     |                                 | 495      |
| macassar, source and properties (Glenk) . . . . .                              |     |                                 | 528      |
| male-fern, yield of, . . . . .   |     |                                 | 458      |
| narcissus, character of, . . . . .   |     |                                 | 294      |
| olive, adulteration of (Parry and Estcourt), . . . . .                         |     |                                 | 231      |
| detection in cotton-seed oil, . . . . .  |     |                                 | 379      |
| pennyroyal, American, composition of (Habegger), . . . . .                     |     |                                 | 417      |
| sandalwood, tests and detection of adulterants (Cripps), . . . . .             |     |                                 | 20       |
| sunflower, test for identity, . . . . .  |     |                                 | 378      |
| sweet orange, tests for purity of, . . . . .                                   |     |                                 | 308      |
| turpentine, action of acetic and formic acids on, . . . . .                    |     |                                 | 230      |
| verbena, antiseptic action, . . . . .  |     |                                 | 386      |
| ylang-ylang, artificial, character of, . . . . .                               |     |                                 | 294      |
| Oils, anise, properties, etc. (Squire), . . . . .                              |     |                                 | 540      |
| determination of iodine absorptions, . . . . .                                 |     |                                 | 382, 455 |
| essential, botany and chemistry of (Jowett), . . . . .                         |     |                                 | 397      |
| fatty, detection in mineral oils, . . . . .                                    |     |                                 | 287      |
| fish, composition of, . . . . .  |     |                                 | 333      |
| method of examination, . . . . .   |     |                                 | 330      |
| mineral, flash point and danger (Steuart), . . . . .                           |     |                                 | 362      |
| oxidation and saponification of, . . . . .                                     |     |                                 | 11       |
| volatile, estimation in aromatic waters, . . . . .                             |     |                                 | 75       |
| Ointment block, use of parchment paper, . . . . .                              |     |                                 | 7        |
| camphorated, estimation of camphor, . . . . .                                  |     |                                 | 497      |
| potassium iodide, preparation of, . . . . .                                    |     |                                 | 174      |
| (See Unguentum.)   |     |                                 |          |
| veratrine, method of preparation, . . . . .                                    |     |                                 | 203      |
| Oleo creasote, preparation and properties, . . . . .                           |     |                                 | 492      |
| Opium alkaloids, reactions, composition, etc., . . . . .                       |     |                                 | 236      |
| Orange blossoms, production of perfume, . . . . .                              |     |                                 | 93       |
| <i>Ordonneau, Ch.</i> Determination of calcium tartrate, . . . . .             |     |                                 | 184      |
| Oxyphenol, liquid, composition and properties, . . . . .                       |     |                                 | 230      |
| Oxygen, preparation of, . . . . .  |     |                                 | 339      |

|   |                                       |
|---|---------------------------------------|
| Paico, source and properties, . . . . .   | 229                                   |
| Palmityl- $\beta$ -amyrin, characters of, . . . . .                                       | 191                                   |
| Papaverine, reaction with furfurol test, . . . . .  | 382                                   |
| Para-tolyldimethylpyrazolon. (See Tolypyryne.)  |                                       |
| Parry, E. J., and P. A. Estcourt. Adulterated castor and olive oils, . . . . .            | 231                                   |
| Partheil, A. Cytisine and ulexine, . . . . .  | 296                                   |
| Paste, for fixing labels on glass, etc., formula, . . . . .                               | 78                                    |
| Pastilles, chocolate, method of preparation, . . . . .                                    | 127                                   |
| Paul, B. H., and A. J. Cownley. Chemistry of ipecacuanha, . . . . .                       | 484                                   |
| Peacock, J. C., and H. Trimble. Canaigre tannin, . . . . .                                | 161                                   |
| Preparation of oak tannin, acetone as a solvent, . . . . .                                | 435                                   |
| Penicillium glaucum, soluble ferments present in, . . . . .                               | 449                                   |
| Pental. (See Amylene.)  |                                       |
| Pepsin, manufacture and determination of its proteolytic power, . . . . .                 | 140                                   |
| requirements of solubility, . . . . .   | 172                                   |
| Peptone, estimation of nitrogenous constituents of (Stutzer), . . . . .                   | 244                                   |
| Peptones, chemical constitution of (Schützenberger), . . . . .                            | 361                                   |
| Pereirine, alkaloid from Geissospermum Vellozii, . . . . .                                | 381                                   |
| Perfume in flowers, mode of its production (Mesnard), . . . . .                           | 91                                    |
| Peroxydibenzol. (See Oxyphenol.)  |                                       |
| Perry, Geo. H., and T. E. Thorpe. Interaction of iodine and potassium chlorate, . . . . . | 100                                   |
| Pestle heads, method of securing wooden handles, . . . . .                                | 558                                   |
| Petroleum, crude, medicinal use, . . . . .  | 17                                    |
| Pharmaceutical Congress, Seventh International, . . . . .                                 | 263                                   |
| Pharmacopœia, Sanskrit, leaves from (Stephenson), . . . . .                               | 530                                   |
| U. S., criticisms (Beringer), . . . . .   | 466, 513, 596                         |
| weights of (Shryock), . . . . .   | 594                                   |
| Pharmacy Board of Pennsylvania, . . . . .   | 104, 608                              |
| law, Pennsylvania, amendment, . . . . .   | 105, 160, 203                         |
| Phenacetin, color reaction with nitric acid, . . . . .                                    | 74                                    |
| tests for, . . . . .  | 71                                    |
| Phenocoll salicylate, properties of, . . . . .  | 287                                   |
| Phenol, cause of red coloration (Kohn), . . . . .   | 542                                   |
| sulphoricinated, preparation of, . . . . .  | 131                                   |
| Phenolin, water soluble, new disinfectant, . . . . .                                      | 9                                     |
| Philadelphia College of Pharmacy :  |                                       |
| Alumni Association, . . . . .   | 261                                   |
| Books presented to the library, . . . . .   | 202, 246, 557, 607                    |
| Classes of 1892-93, . . . . .   | 54, 59                                |
| Commencement, . . . . .   | 260                                   |
| Corresponding members elected, . . . . .  | 201                                   |
| Examinations, . . . . .   | 248, 250                              |
| Formal opening of new buildings, . . . . .  | 159                                   |
| Graduates, . . . . .  | 256                                   |
| Honorary members elected, . . . . .   | 201                                   |
| Minutes of meeting, . . . . .   | 200, 556                              |
| New buildings and brief history of the older buildings, . . . . .                         | 113                                   |
| Officers and trustees elected, . . . . .  | 202, 557                              |
| Pharmaceutical meetings, . . . . .  | 50, 103, 158, 202, 246, 314, 557, 607 |
| committee on, . . . . .   | 317                                   |
| report on, . . . . .  | 314                                   |
| Prof. Bastin called, . . . . .  | 510, 608                              |
| Specimens presented to the College, . . . . .   | 557, 558                              |
| Phosphorus, estimation in medicinal preparations, . . . . .                               | 493                                   |
| red, character and crystallization, . . . . .   | 333                                   |
| yellow, crystallization of, . . . . .   | 333                                   |
| Phytolacca decandra, coloring principle of, . . . . .                                     | 1                                     |
| proximate principle from (Trimble), . . . . .   | 273                                   |
| Picramin, isolation and character, . . . . .  | 379                                   |

|  |          |
|--|----------|
| Picramnia camboita, properties of constituent, . . . . .   | 379      |
| <i>Pictet, R.</i> General method of chemical synthesis, . . . . .  | 312, 408 |
| Pill-coating, methods of, . . . . .  | 173      |
| excipient, animal charcoal used as, . . . . .  | 337      |
| new formula for, . . . . .   | 337      |
| machine, construction of, . . . . .  | 51       |
| Pills, creolin, preparation and use, . . . . .   | 129      |
| creosote, excipient for, . . . . .   | 337      |
| process of preparation, . . . . .  | 73       |
| croton oil, excipient for, . . . . .   | 337      |
| laxative, formula for, . . . . .   | 174      |
| tar, new process of preparation, . . . . .   | 337      |
| tonic, formula for, . . . . .  | 231      |
| Pilocarpine, test for, . . . . .   | 171      |
| Piperazine, characters of ( <i>Majert and Schmidt</i> ), . . . . .   | 188      |
| Piperine, constituent of pepper, . . . . .   | 552      |
| Plants, indigenous, of medical interest ( <i>Crawford</i> ), . . . . .   | 42, 149  |
| Podophyllum Emodi, extraction and characters of constituents, . . . . .  | 24       |
| Poke berries, coloring principle of ( <i>Harms</i> ), . . . . .  | 1        |
| Pomade, macassar, formula for, . . . . .   | 530      |
| Potassium chlorate, interaction with iodine ( <i>Thorpe and Perry</i> ), . . . . .                                   | 100      |
| ferrocyanide, decomposition and detection of hydrocyanic acid, . . . . .   | 282      |
| iodide, elimination of, . . . . .  | 130      |
| Powder, oxygen composition and use of, . . . . .   | 9        |
| Powders, infant, formula, . . . . .  | 501      |
| Proteids, constitution and characters ( <i>White</i> ), . . . . .  | 37       |
| Pseudohyoscyamine, alkaloid from <i>Duboisia myoporoides</i> , . . . . .   | 284      |
| Pseudo-inulin, separation from inulin, . . . . .   | 279      |
| Pseudotropine salts, characters of, . . . . .  | 191      |
| Purdue University, School of Pharmacy, . . . . .   | 263      |
| Pyoktanin, injections of, . . . . .  | 17       |
| <b>Quinine</b> , reaction with furfurol test, . . . . .  | 382      |
| chlorhydrosulphate, preparation of, . . . . .  | 174      |
| salts, double, easily soluble, . . . . .   | 492      |
| sulphate, elimination of, . . . . .  | 130      |
| <b>Raspberry</b> , identification of coloring matter, . . . . .  | 132      |
| <i>Reed, Dr.</i> Manufacture of linseed oil, . . . . .   | 413      |
| <i>Remington, Jos. P.</i> The new building of the College, with a brief history<br>of the older buildings, . . . . . | 113      |
| Resorcylalgin, preparation of, . . . . .   | 175      |
| REVIEWS.— <i>Adams, Chas. K.</i> , inauguration of, . . . . .  | 319      |
| <i>Adams, J. H.</i> Life of <i>D. Hayes Agnew</i> , . . . . .  | 271      |
| <i>Annus Pharmaceuticus</i> , 1891-92, . . . . .   | 269      |
| <i>Ashton, Wm. E.</i> The technique of abdominal and pelvic operations, . . . . .                                    | 271      |
| <i>Barthelot, G. J.</i> L'étude histologique des Zingiberacées, . . . . .  | 463      |
| <i>Bieder, G.</i> Das spektroskopische Verhalten des Blutes, . . . . .   | 270      |
| Blindness, prevention of, . . . . .  | 415      |
| <i>Boettiger, A.</i> Trional als Hypnoticum, . . . . .   | 111      |
| <i>Browning, W. W.</i> Modern homœopathy, . . . . .  | 271      |
| Calendar of the Pharmaceutical Society of Great Britain, . . . . .   | 271      |
| <i>Carter, W. S. and D. Cerna.</i> Comparative actions of antipyrine, phe-<br>nacetin and phenocoll, . . . . .       | 111      |
| <i>Cascara Sagrada</i> , monograph on, . . . . .   | 320      |
| <i>Cerna, D., and W. S. Carter.</i> Comparative actions of antipyrine, phe-<br>nacetin and phenocoll, . . . . .      | 111      |
| Chemical papers from the Research Laboratory, . . . . .  | 269      |
| <i>Chittenden, R. H.</i> Papoid digestion, . . . . .   | 270      |
| Contributions from botanical laboratory, Pennsylvania University, . . . . .  | 110      |

|   |          |
|---|----------|
| REVIEWS.—Contributions from U. S. National Herbarium, . . . . .                   | 110      |
| Denigés, Georges. Contributions à l'étude des lactoses, . . . . .                 | 319      |
| Dixon, S. G. Address before the Pennsylvania State Board of Health, . . . . .     | 320      |
| Dymock, W., C. J. H. Warden and David Hooper. Pharmacographia Indica, . . . . .   | 462      |
| Egbert, Seneca. The bicycle in its relation to the physician, . . . . .           | 271      |
| Elliott, A. H. Instruction in qualitative chemical analysis, . . . . .            | 107      |
| Flückiger, F. A. Reactions, . . . . .   | 462      |
| Frölich, J. Ueber Salophen und dessen therapeutische Verwendung, . . . . .        | 111      |
| Hare, H. A. Text-book of practical therapeutics, . . . . .                        | 110      |
| Hatton, Jos. An historic pharmacy, . . . . .                                      | 271      |
| Hesse, O. Hyoscin und Oscin-Cinchonin; Tagetesblüthen, . . . . .                  | 464      |
| Chinin, Cinchonidin und Conchinin, . . . . .                                      | 464      |
| Hibbard, Miss E. Diet for the sick, . . . . .                                     | 416      |
| Hirsch, Dr. B. Die italienische Pharmakopöe, . . . . .                            | 270      |
| Hooper, D., C. J. H. Warden and D. Hooper. Pharmacographia Indica, . . . . .      | 462      |
| Kaviratna, A. C. Charaka-Samhita, . . . . .                                       | 107, 406 |
| Koppers, Dr. Beitrag zur Wirkung des Trionals, . . . . .                          | 512      |
| Lee, Benj. Address of, American Orthopedic Association, . . . . .                 | 416      |
| Ménélik. Promenades et excursions botaniques, . . . . .                           | 318      |
| Missouri Botanical Garden, fourth annual report, . . . . .                        | 318      |
| Nordenskiöld, A. E. Carl Wilhelm Scheele, . . . . .                               | 107      |
| Oesterle, Otto. Studien über die Guttapercha, . . . . .                           | 270      |
| Pharmacopœa Danica, . . . . .   | 464      |
| Pharmaceutical Society of Australasia, 36th annual report, . . . . .              | 320      |
| Pharmacopœia of the United States, . . . . .                                      | 510      |
| Pharmacy and poison laws of the United Kingdom, . . . . .                         | 53       |
| Prescott, A. B. Caffeine and its isomerism, . . . . .                             | 270      |
| Proceedings of the American Pharmaceutical Association, . . . . .                 | 270      |
| Association of Official Agricultural Chemists, . . . . .                          | 269      |
| National Wholesale Druggists' Association, . . . . .                              | 269      |
| Report of Surgeon-General of the Army, . . . . .                                  | 111      |
| Scheele, Carl Wilhelm, an account of the life of, . . . . .                       | 269      |
| Shoemaker, J. V. Practical treatise on materia medica and therapeutics, . . . . . | 415      |
| Simon, W. Manual of chemistry, . . . . .  | 317      |
| Soubeiran, J. L. Discourses, publications, etc., . . . . .                        | 318      |
| Stewart, D. D. Piperazin in the treatment of stone in the kidney, . . . . .       | 270      |
| Tavel, E. und A. Tschirch. Ueber das Jodtrichlorid, . . . . .                     | 270      |
| Thomas, C. H. Operation of stricture of lachrymal duct, . . . . .                 | 110      |
| Trelease, Wm. Further studies of Yuccas and their publication, . . . . .          | 206      |
| Tschirch, A. Indische Fragmente, . . . . .  | 270      |
| und E. Tavel. Ueber das Jodtrichlorid, . . . . .                                  | 270      |
| Vitali, D. Manuale di chimica tossicologica, . . . . .                            | 205      |
| Vogl, Aug. Pharmakognosie, . . . . .  | 52       |
| Von Krafft-Ebing, R. Psychopathia sexualis, . . . . .                             | 319      |
| Warden, C. J. H., W. Dymock and D. Hooper. Pharmacographia Indica, . . . . .      | 462      |
| Welch, George T. Therapeutical superstition, . . . . .                            | 512      |
| Whitney, H. M. Address to Massachusetts Pharmaceutical Association, . . . . .     | 110      |
| Wiley, H. W. Experiments with sugar beets, . . . . .                              | 318      |
| Record of experiments with sorghum, . . . . .                                     | 319      |
| Williams, S. W. Surgical dressings, . . . . .                                     | 416      |
| Yearbook of Pharmacy, . . . . .   | 106      |
| Zune, A. J. Urines chyleuses et hémato-chyleuses, . . . . .                       | 268      |
| Traité général d'analyse des beurres, . . . . .                                   | 108      |
| Rhamnoxanthine, identity of cascarn with, . . . . .                               | 75       |
| Rhubarb, Bessarabian, constituents and physiological action, . . . . .            | 335      |

|   |     |
|---|-----|
| <i>Richet, C., and Hanriot.</i> Chloralose, . . . . .   | 394 |
| <i>Robechek, L.</i> <i>Narcissus orientalis</i> , . . . . .   | 369 |
| Rose culture in Bulgaria, . . . . .   | 603 |
| red, identification of coloring matter, . . . . .   | 132 |
| Roses, production of perfume, . . . . .   | 93  |
| Rubber in Sierra Leone, . . . . .   | 389 |
| <b>Sabadilline</b> , reaction with furfural test, . . . . .   | 382 |
| <b>Saccharine</b> , detection in presence of salicylic acid, . . . . .                                  | 554 |
| Saffron, adulteration with wheat-flower, . . . . .  | 134 |
| Saint Louis College of Pharmacy, . . . . .  | 263 |
| Salacetol, preparation and use, . . . . .   | 493 |
| Salicyl-phenetidine. (See Malakin.)   |     |
| Salokoll. (See Phenocoll salicylate.)   |     |
| Salol, liquid antiseptic, properties, . . . . .   | 450 |
| use in tuberculosis, . . . . .  | 340 |
| <i>Sansevieria longifolia</i> , yield of fibres, . . . . .  | 247 |
| Santonin, reactions of, . . . . .   | 169 |
| Sapodilla, a product of the West Indies, . . . . .  | 247 |
| Saunders, red, identification of coloring matter, . . . . .   | 132 |
| <i>Sayre, L. E.</i> Insects injurious to drugs, . . . . .   | 321 |
| <i>Schacht, Carl, and E. Biltz.</i> Decomposition of chloroform, . . . . .                              | 354 |
| <i>Schmidmer, E., and E. Fischer.</i> Rise of salt solutions in bibulous paper, . . . . .               | 289 |
| <i>Schmidt, A., and W. Majert.</i> Piperazine, . . . . .  | 188 |
| <i>Schützenberger, P.</i> Chemical constitution of peptones, . . . . .                                  | 361 |
| Scillamaritima, principles extracted from, . . . . .  | 498 |
| Scillamarine, principle present in <i>Scilla maritima</i> , . . . . .                                   | 498 |
| Scillapicrine, principle present in <i>Scilla maritima</i> , . . . . .                                  | 498 |
| <i>Scopola carniolica</i> , specimens exhibited, . . . . .  | 316 |
| Scopolamine, physiological action, . . . . .  | 340 |
| hydrochloride, properties of, . . . . .   | 340 |
| Sedatin, chemical constitution and properties, . . . . .  | 330 |
| Selenious chloride, presence in hydrochloric acid, . . . . .  | 384 |
| Selenium, solubility and physiological action, . . . . .  | 452 |
| <i>Sepia officinalis</i> , specimens exhibited, . . . . .   | 315 |
| Sesamin, preparation and characters (Tocher), . . . . .   | 194 |
| <i>Shepherd, W. F. J., and W. R. Dunstan.</i> Identity of caffeine and theine, and reactions, . . . . . | 83  |
| <i>Shryock, A.</i> Weights of the Pharmacopœia of 1890, . . . . .                                       | 594 |
| Silver nitrate, reduction by action of light, . . . . .   | 387 |
| <i>Smith, T. and H., &amp; Co.</i> Researches on opium alkaloids, . . . . .                             | 236 |
| Soaps, medicinal, pulverulent, formulas for, . . . . .  | 69  |
| Sodium acetate, alkalinity of, . . . . .  | 69  |
| carbonate, preparation of, . . . . .  | 287 |
| fluoride, action of food preserved by, . . . . .  | 493 |
| paracresotate, medicinal use of, . . . . .  | 74  |
| peroxide, availability as a bleaching agent, . . . . .  | 158 |
| characters of commercial, . . . . .   | 9   |
| preparation, . . . . .  | 133 |
| phosphate, subcutaneous injections of, . . . . .  | 130 |
| sulphuricinate, preparation of, . . . . .   | 131 |
| Solanaceous bases, preparation, etc., . . . . .   | 283 |
| <i>Solidago rugosa</i> , constituents of ( <i>Oberhauser</i> ), . . . . .                               | 122 |
| Solution against insect bites, . . . . .  | 552 |
| borosalicylic acid, use and permanency, . . . . .   | 553 |
| copper sulphate, cause of decomposition, . . . . .  | 387 |
| for making syrup iodide of iron, . . . . .  | 551 |
| iron, <i>Pravaz's</i> hemostatic, strength of, . . . . .  | 203 |
| morphine, preservation of, . . . . .  | 229 |
| pepsin, filtration facilitated, . . . . .   | 500 |

|   |              |
|---|--------------|
| Solution, physostigmine, prevention of decomposition, . . . . .                   | 171          |
| silver nitrate, cause of decomposition, . . . . .                                 | 387          |
| volumetric acid, titration with for assay of drugs (Caspari and Dohme), . . . . . | 473          |
| Solutions, salt, rise in bibulous paper (Fischer and Schmidmer), . . . . .        | 289          |
| Sparteine, decomposition of, . . . . .  | 17           |
| Spatula, steel, covered with rubber, . . . . .                                    | 203          |
| Specific gravity, relation to atomic weight (Doerschuk), . . . . .                | 483          |
| Spiritus ætheris nitrosi, preservation of (Meldrum), . . . . .                    | 199          |
| camphori, assay by polariscope, . . . . .   | 382          |
| Sponge, cleaning of, . . . . .  | 6            |
| Squire, P. W. Oils of anise, . . . . .  | 540          |
| Stachys tuberifera, constituents and use, . . . . .                               | 336          |
| Staining vegetable tissues, . . . . .   | 18           |
| Staphylococcus, action of iodoform, . . . . .                                     | 549          |
| Starch, bleaching of, . . . . .   | 493          |
| State Pharmaceutical Associations:  |              |
| Alabama, . . . . .  | 367, 512     |
| Arkansas, . . . . .   | 367          |
| California, . . . . .   | 51           |
| Connecticut, . . . . .  | 51, 512      |
| Delaware, . . . . .   | 367          |
| Florida, . . . . .  | 367          |
| Illinois, . . . . .   | 512          |
| Indiana, . . . . .  | 204          |
| Iowa, . . . . .   | 205          |
| Kansas, . . . . .   | 412, 512     |
| Kentucky, . . . . .   | 412          |
| Louisiana, . . . . .  | 412          |
| Michigan, . . . . .   | 205          |
| Minnesota, . . . . .  | 52, 110, 412 |
| Mississippi, . . . . .  | 412, 512     |
| Missouri, . . . . .   | 205          |
| New Hampshire, . . . . .  | 109          |
| New Jersey, . . . . .   | 412, 512     |
| North Carolina, . . . . .   | 109          |
| North Dakota, . . . . .   | 205          |
| Ohio, . . . . .   | 205          |
| Pennsylvania, . . . . .   | 412, 512     |
| Tennessee, . . . . .  | 414, 512     |
| Texas, . . . . .  | 414, 512     |
| Utah, . . . . .   | 414, 416     |
| Virginia, . . . . .   | 205          |
| Washington, . . . . .   | 52, 414      |
| Wisconsin, . . . . .  | 52, 110      |
| Quebec, . . . . .   | 512          |
| Stephenson, T. Leaves from a Sanskrit Pharmacopœia, . . . . .                     | 530          |
| Steresol, formula for, . . . . .  | 499          |
| Stewart, D. R. Flash point of mineral oils, . . . . .                             | 362          |
| Still, new, construction of, . . . . .  | 202          |
| Stockman, R. Active principles of Urechitis suberecta, . . . . .                  | 192          |
| Volatile oil of Atherosperma moschata, . . . . .                                  | 86           |
| Strontium bromide, medicinal use, . . . . .                                       | 14           |
| Strychnine, reaction with furfural test, . . . . .                                | 382          |
| Strychnos species, alkaloids present in, . . . . .                                | 11           |
| Strophanthus seeds, varieties and characters (Holmes), . . . . .                  | 342          |
| Stutzer, A. Estimation of nitrogenous constituents of peptone, . . . . .          | 244          |
| Sublimate, action of cotton on, . . . . .   | 451          |
| Sucrol, properties, tests, etc., . . . . .  | 288          |
| sensitive test for, . . . . .   | 334          |
| Sugar group, recent work in, . . . . .  | 32           |
| milk, production of, . . . . .  | 158          |
| Sugars, artificial preparation, . . . . .   | 33           |
| Sulphates, crystallized, efflorescence of, . . . . .                              | 14           |
| Sulphonol, poisoning by, . . . . .  | 112          |
| Sulphur, medicinal use, . . . . .   | 191          |
| Sumbul resin, preparation and reaction (Utech), . . . . .                         | 465          |
| Suppositories, glycerin, medicated use of, . . . . .                              | 225          |
| preservation of, . . . . .  | 6            |
| improved shape for (Wellcome), . . . . .  | 433          |
| Surinamine, alkaloid from Geoffroya bark, . . . . .                               | 10           |
| Synanthrin, principle isolated from Jerusalem artichoke, . . . . .                | 498          |
| Synthesis, chemical, general method (Pictet), . . . . .                           | 312          |
| Syrup, cimicifuga, formula for (Heinitsh), . . . . .                              | 413          |
| Easton's, formula and preparation (Wright), . . . . .                             | 538          |

|  |        |
|--|--------|
| Syrup, iodide of iron, preparation, . . . . .  | 551    |
| prevention of red coloration, . . . . .  | 220    |
| kola, tonic, administration of, . . . . .  | 75     |
| narceine, formula for, . . . . .   | 282    |
| tolu balsam, alteration of, . . . . .  | 550    |
| <i>Székely, S. and Leo Liebermann.</i> Method of determining fat in milk, . . . . .            | 406    |
| Tablets, compressed, preparation of (McFerran), . . . . .                                      | 213    |
| Tallow, examination for presence of sativic acid, . . . . .                                    | 332    |
| Tanghinin, formula, melting point, etc., . . . . .   | 223    |
| Tannin, canaigre, preparation, purification, etc. (Trimble and Peacock), . . . . .             | 161    |
| Tannins, oak, acetone as a solvent and preparation (Trimble and Peacock), . . . . .            | 435    |
| Tar, wood, made soluble in water, . . . . .  | 289    |
| Tea, extracted, detection of (Tichomirow), . . . . .   | 302    |
| Teucrin, preparation and medicinal use, . . . . .  | 171    |
| Theine, identity with caffeine (Dunstan and Shepherd), . . . . .                               | 83     |
| Theobromine, estimation in cacao-beans, . . . . .  | 170    |
| Thevetin, formula, melting point, etc., . . . . .  | 223    |
| Thioform, substitute for iodoform, . . . . .   | 456    |
| Thiuret paraphenol-sulphonate, use as an antiseptic, . . . . .                                 | 226    |
| <i>Thompson, F. A.</i> Hydrastis canadensis, . . . . .   | 370    |
| Thorium, preparation of, . . . . .   | 452    |
| <i>Thorpe, T. E., and G. H. Perry.</i> Interaction of iodine and potassium chlorate, . . . . . | 100    |
| Thyroid, medicinal use of, . . . . .   | 316    |
| <i>Tichomirow, W. A.</i> Detection of extracted tea, . . . . .                                 | 302    |
| Tin, action of nitric acid on, . . . . .   | 94     |
| detection of, in presence of other metals, . . . . .   | 550    |
| Tincture, litmus, sensitive, preparation, . . . . .  | 500    |
| Rhus radicans, preparation and use, . . . . .  | 15     |
| Tinctures, preparation from fluid extracts (England), . . . . .                                | 438    |
| <i>Tocher, Jas. F.</i> Note on sesamin, . . . . .  | 194    |
| Tolpyrine, characters of, . . . . .  | 71     |
| properties and distinction from antipyrine, . . . . .  | 287    |
| Trehalase, a new soluble ferment, . . . . .  | 450    |
| <i>Trimble, H.</i> Proximate principle from <i>Phytolacca decandra</i> , . . . . .             | 273    |
| and <i>J. C. Peacock.</i> Canaigre tannin, . . . . .   | 161    |
| Preparation of oak tannins, acetone a solvent, . . . . .                                       | 435    |
| Tropacocaine, use as an anæsthetic, . . . . .  | 228    |
| <i>Truman, E. D.</i> Juglans cinerea, . . . . .  | 426    |
| Tuberoses, production of perfume, . . . . .  | 93     |
| <i>Tyndale, W. C.</i> Notes on the Eucalyptus, . . . . .                                       | 89     |
| Ulexin, extraction and identity with cytisine (Partheil), . . . . .                            | 296    |
| identity with cytisine, . . . . .  | 10     |
| <i>Umney, J. C.</i> African copaiba, . . . . .   | 544    |
| Podophyllum Emodi, . . . . .   | 24     |
| Unguentum aristol, formula for, . . . . .  | 129    |
| bismuthi et acidi borici, for treatment of burns, . . . . .                                    | 229    |
| hydrargyri, preparation of, . . . . .  | 12, 78 |
| potassii iodidi, preparation of, . . . . .   | 14     |
| Urechitis suberecta, constituents of leaves, . . . . .   | 16     |
| physiological action of active principles (Stockman), . . . . .                                | 192    |
| Urechitin, active principle from Urechitis suberecta, . . . . .                                | 192    |
| Urechitoxin, active principle from Urechitis suberecta, . . . . .                              | 192    |
| Urine, estimation of bromine, . . . . .  | 548    |
| estimation of nitrogen, . . . . .  | 226    |
| test for blood in, . . . . .   | 453    |
| sugar, . . . . .   | 490    |
| <i>Ulech, P. H.</i> Sumbul resin, . . . . .  | 465    |

|   |          |
|---|----------|
| <b>Vaccinium myrtillus</b> leaves, physiological effects, . . . . .               | 384      |
| <b>Valerian</b> , Mexican, constituents of root (McLaughlin), . . . . .           | 329      |
| <b>Vanilla</b> , sources, cultivation, etc. (Hires), . . . . .                    | 571      |
| <b>Vanillin</b> , effect on sale of vanilla, . . . . .                            | 607      |
| <b>Vaselinum</b> , oxygenatum. (See Vasogen.)                                     |          |
| <b>Vasogen</b> , solvent action, . . . . .  | 495      |
| <b>Veratrine</b> , reaction with furfural test, . . . . .                         | 382      |
| <b>Vernon, H. M.</b> Reactions of ferric salts with thiocyanates, . . . . .       | 292      |
| <b>Violets</b> , production of perfume, . . . . .                                 | 93       |
| <b>Washes</b> , eye, formulas for, . . . . .                                      | 230      |
| <b>Water</b> , aerated, for the preparation of mineral waters, . . . . .          | 316      |
| tar, comparison of various preparations, . . . . .                                | 280      |
| <b>Waters</b> , determination of hardness, . . . . .                              | 133      |
| medicinal distilled, preservation of, . . . . .                                   | 174      |
| <b>Wax</b> , bees, methods of analysis, . . . . .                                 | 380      |
| examination of commercial (Kebler), . . . . .                                     | 585      |
| <b>Wellcome, Henry S.</b> Improved shape for suppositories and bougies, . . . . . | 433      |
| <b>White, E.</b> Proteids, . . . . .  | 37       |
| <b>Wilson, J. R.</b> Effect of noxious gases on animal economy, . . . . .         | 561      |
| <b>Wine</b> , red, identification of coloring matter, . . . . .                   | 132      |
| tonic, formula for, . . . . .   | 231      |
| <b>Wines</b> , test for artificial coloring matters, . . . . .                    | 453      |
| <b>Wood tar</b> , combination with carbolic acid, . . . . .                       | 221, 289 |
| <b>Wright, R.</b> Note on Easton's syrup, . . . . .                               | 538      |
| <b>Xanthaline</b> , reactions, composition and salts of, . . . . .                | 236      |
| <b>Zinc</b> , purity of, . . . . .  | 175      |
| borate, preparation of, . . . . .   | 454      |
| <b>Zirconium</b> , preparation of, . . . . .                                      | 452      |